S. No.	Name of the Schemes/Projects	Est. Cost/approved cost (Rs. in lakh)
1.	Drinking water in villages having brackish water in the District of Ferozpur, Amritsar and Patiala (191 villages)	1740.00 approved
2.	Drinking water for control of Fluorosis in Ludhiana & Amristar District (199 villages)	1370.25 (Approved 12 villages)
3.	Strengthening of partially covered rural water supply schemes having excess fluorides in the district of Bhatinda and Mansa 10 schemes (11 villages)	597.00 approved
4.	Strengthening of partially covered rural water supply schemes having excess fluorides in the district of Ferozpur 265 schemes (28 villages)	436.00 approved
5.	Drinking water supply in fluoride affected villages of Gurdaspur, Jalandhar, Patiala and Sangrur district (74 villages).	649.00 approved

(c) and (d) The projects are being implemented generally in time in all Districts.

Direct injection petrol in Japan

1385. SHRI VEDPRAKASH P. GOYAL: Will the PRIME MINISTER be pleased to state:

(a) whether Government are aware that direct injection petrol has been launched in automobiles in Japan;

(b) whether it is in commercial use in that country;

(c) whether Government have made any study about the suitability of that fuel in India;

(d) if so, the findings thereof in regard to its benefits over petrol and diesel; and

(e) how does its cost compare with leaded and unleaded petrol and diesel?

THE MINISTER OF STATE IN THE MINISTRY OF PETROLEUM AND NATURAL GAS (SHRI T. R. BAALU): (a) to (e) The direct injection of Petrol is a different mode of introducising Petrol in engines replacing carburettors. Some petrol is used in both the modes.

Establishment of New Nuclear Power Plants

1386. SHRI S. MUTHU MANI: Will the PRIME MINISTER be pleased to state:

(a) whether Government are considering to build a new series of nuclear power plants;

(b) if so, the locations identified by Government to erect the new nuclear power plants;

(c) whether Government are formulating revised Nuclear Power Programme to achieve rapid growth in the installed nuclear power capacity;

(d) whether it is a fact that the energy starved Southern Region, without adequate thermal or hydel resources, would find it cheaper to install atomic power plants; and

(e) the total M. Ws of electricity production envisaged by way of nuclear energy during the Ninth Five Year Plan and the amount earmarked for the same?